

Please ensure that the measurement locations, eg, front office, are entered on this form, so that we can pre-label and despatch your monitors without delay.

Monitor placement advice is available on our website at www.hpa.org.uk/radiation/services/radon/work.htm

- Position 1
- Position 2
- Position 3
- Position 4
- Position 5
- Position 6
- Position 7
- Position 8
- Position 9
- Position 10
- Position 11
- Position 12

Radon in your Workplace

Don't ignore the risk

Prolonged exposure to high radon levels is a health risk.

Employers must assess hazards and take action if the radon level is more than 400 Bq m⁻³.

Assess it

- Employers are required by law to identify locations with radon over the action level
- A simple test shows if the Ionising Radiations Regulations 1999 apply and if action is needed to protect employees
- A low measurement result provides reassurance

Assess the risk

As radon is found in every building, a measurement is needed to show that employees in radon affected areas are not exposed to excessive levels.

Radon monitors are available from the Health Protection Agency at a cost of £18.00 + VAT each.

Please complete the order form, or call us for further information on **01235 822622**.

- High radon levels can and normally should be reduced
- The Health Protection Agency advises on exposure reduction and continuing surveillance
- Long-term solutions protect the health of employees

Send to
 Radon Studies Group
 HPA Radiation Protection Division
 Centre for Radiation, Chemical and Environmental Hazards
 Chilton Didcot Oxon OX11 0RQ

One form should be used for each address (please photocopy if necessary)

Please supplypassive radon monitors @£18.00 + VAT (£21.15) each, to be placed in the locations listed overleaf.

I enclose a cheque for £
 (made payable to the Health Protection Agency)

My Order No. is

I do/do not* require a VAT receipt (*delete as applicable)

For credit card payments please call **01235 822622**

Please call **01235 822784** for a discount if ordering more than 50 monitors

Address to be monitored
 Company name
 Address

 Postcode
 Contact name Tel (in case of queries)

Correspondence address (if different)
 Company name
 Address

 Postcode
 Contact name Tel (in case of queries)
 Address to send monitors or Address to send results or
 (delete as applicable) (delete as applicable)

Nature of business